

Threatened Plants of Karnataka

| Family/ Scientific Name | RDB Status | Distribution sites & Average altitude |
|---------------------------------|------------|--|
| ANNONACEAE | | |
| <i>Orophea uniflora</i> | Rare | Coorg, Wynaad, & Travancore, Tirunelveli. 1200 m. |
| APIACEAE | | |
| <i>Polyzygus tuberosus</i> | Rare | Kanara in Karnataka. |
| ARACEAE | | |
| <i>Cryptocoryne cognatoides</i> | Vulnerable | North Kanara. |
| ARECACEAE | | |
| <i>Calamus nagbettai</i> | Vulnerable | Coorg & Kanara in Karnataka. 450-600 m. |
| ASCLEPIADACEAE | | |
| <i>Ceropegia attenuata</i> | Rare | North Kanara. |
| <i>Ceropegia fimbriifera</i> | Vulnerable | Endemic to South India, 1500-2000 m. |
| <i>Ceropegia metziana</i> | Rare | 1200-2000 m. |
| <i>Ceropegia spiralis</i> | Vulnerable | Endemic to Peninsular India. 2500 m. |
| <i>Marsdenia raziana</i> | Rare | Endemic to a single locality Chikmagalur district. |
| ASTERACEAE | | |
| <i>Cyathocline lutea</i> | Rare | Pune & Thane district, Shimoga. |
| <i>Nanothamnus sericeus</i> | Rare | Nasik & Pune district, Shimoga. Endemic to N. Western Ghats. |
| <i>Senecio mayurii</i> | Rare | Kemmongandi hills. Endemic. |
| BALSAMINACEAE | | |
| <i>Impatiens talbotii</i> | Rare | Shimoga & North Kanara. |

CELASTRACEAE

| | | |
|---------------------------|------------|--|
| <i>Euonymus angulatus</i> | Endangered | Coorg Endemic to southern Peninsular India. 900 m. |
| <i>Salacia malabarica</i> | Endangered | Coorg. Endemic. |

COMMELINACEAE

| | | |
|------------------------------|------|---------------------------|
| <i>Commelina indehiscens</i> | Rare | Endemic to Western Ghats. |
|------------------------------|------|---------------------------|

DIPTEROCARPACEAE

| | | |
|---------------------|------|--|
| <i>Hopea jacobi</i> | Rare | Endemic to Kodugu (Coorg) district in Karnataka. |
|---------------------|------|--|

ELAEOCAPACEAE

| | | |
|-----------------------------|------|----------------------|
| <i>Elaeocarpus munronii</i> | Rare | Endemic. 600-2000 m. |
|-----------------------------|------|----------------------|

EUPHORBIACEAE

| | | |
|------------------------------|------|--|
| <i>Dalechampia stenoloba</i> | Rare | Chikmagalur district of Karnataka, Sukalhatti, Lakkaveli taluk. 500-600 m. |
|------------------------------|------|--|

| | | |
|-----------------------------|------|---------------------------------|
| <i>Phyllanthus talbotii</i> | Rare | North Kanara, Shimoga. Endemic. |
|-----------------------------|------|---------------------------------|

FABACEAE

| | | |
|--------------------------------|------------|--|
| <i>Crotalaria sandoorensis</i> | Endangered | Endemic to Bellary district in Karnataka. Sandoor hills. |
|--------------------------------|------------|--|

| | | |
|---------------------------|---------------|-----------------------------------|
| <i>Cynometra beddomei</i> | Indeterminate | South Canara of Karnataka. 900 m. |
|---------------------------|---------------|-----------------------------------|

| | | |
|-------------------------------|------------|--|
| <i>Cynometra bourdillonii</i> | Vulnerable | Endemic to Karnataka in South Kanara & Hassan districts. Bisle Ghat in Hassan district. 200-300 m. |
|-------------------------------|------------|--|

| | | |
|-------------------------------|------|---|
| <i>Cynometra travancorica</i> | Rare | Western Ghats in south Travancore, Tirunelveli hills; Tambracheri Ghats, Wynaad and also in Karnataka. Endemic. 7-1000 m. |
|-------------------------------|------|---|

| | | |
|------------------------------|------|--|
| <i>Eleiotis trifoliolata</i> | Rare | Endemic to Badami area in Bijapur and Bellary and Chitradurg districts all in Eastern Karnataka. |
|------------------------------|------|--|

| | | |
|---------------------------|------|---|
| <i>Flemingia gracilis</i> | Rare | Khandala & Lonavala in Pune district Matheran in Raigad district; Chikmagalur in Karnataka. Endemic. 600 m. |
|---------------------------|------|---|

| | | |
|------------------------------|------|---|
| <i>Indigofera constricta</i> | Rare | - |
|------------------------------|------|---|

| | | |
|----------------------------------|------------|---|
| <i>Kingiodendron pinnatum</i> | Rare | Endemic to Southern Western Ghats in Karnataka. 200-1000 m. |
| <i>Nogra dalzellii</i> | Vulnerable | Belgaum district. |
| <i>Tephrosia calophylla</i> | Rare | Hassan. Endemic. 1000 m. |
| <i>Crotalaria digitata</i> | Rare | Suntikoppa, Kadagu. Endemic to South India. 1900 m. |
| <i>Crotalaria globosa</i> | Rare | Endemic to southern Peninsular India in Nilgiri, Dindigul, Courtallam, Chengapalli and Vedicola hills. |
| <i>Crotalaria lutescens</i> | Rare | North & South Kanara, Karwar in Karnataka. Endemic. |
| <i>Crotalaria priestleyoides</i> | Rare | Anamalai & Nilgiri hills (Doddabeta) Karnataka. Bababudan hills (Kulhutti), Karnataka. Endemic. 1500 m. |
| <i>Crotalaria rigida</i> | Rare | Mysore, Karnataka. Endemic. |

LAMIACEAE

| | | |
|----------------------------|------|--|
| <i>Leucas angustissima</i> | Rare | North Kanara district, Gersoppa Ghat. Endemic. |
|----------------------------|------|--|

LILIACEAE

| | | |
|----------------------------|------------|---------------------------|
| <i>Iphigenia magnifica</i> | Vulnerable | Endemic to Western Ghats. |
|----------------------------|------------|---------------------------|

LINACEAE

| | | |
|----------------------|---|---------------|
| <i>Hugonia belli</i> | - | South Kanara. |
|----------------------|---|---------------|

LORANTHACEAE

| | | |
|-------------------------|---------------|-----------------------------|
| <i>Viscum mysorense</i> | Indeterminate | Arsikere, Hassan districts. |
|-------------------------|---------------|-----------------------------|

MALPIGHIACEAE

| | | |
|--------------------------------|------|-------------|
| <i>Adspiopterys canarensis</i> | Rare | 800-2000 m. |
|--------------------------------|------|-------------|

MALVACEAE

| | | |
|-------------------------------|------|--|
| <i>Decaschistia trilobata</i> | Rare | Ramghat & Koombarli ghats areas in the northern W.Ghats. Amboli Ghat in Pune district, Gersoppa Falls in N. Kanara district, Mysore, Anamoda, Castle Rock, Susla, Jog Falls and Amboli Ghat. |
|-------------------------------|------|--|

MELIACEAE

| | | |
|------------------------|------------|---|
| <i>Aglaia talbotii</i> | Vulnerable | Restricted to Western Ghats along the coastal regions. Kumpta (North Kanara district), Shimoga district. 300 m. |
|------------------------|------------|---|

MYRTACEAE

| | | |
|--------------------------|------------|---------------------------|
| <i>Eugenia discifera</i> | Endangered | South India. 1300-1400 m. |
|--------------------------|------------|---------------------------|

ORCHIDACEAE

| | | |
|---------------------------------|------------|---|
| <i>Bulbophyllum elegantulum</i> | Vulnerable | Coorg. Endemic to Western Ghats. 1200-1450 m. |
|---------------------------------|------------|---|

| | | |
|-----------------------|------|---------------------------------|
| <i>Eria albiflora</i> | Rare | Hassan district: Shiradi Ghats. |
|-----------------------|------|---------------------------------|

POACEAE

| | | |
|---------------------------|------|---------------------------------|
| <i>Isachne mysorensis</i> | Rare | Kundaguda near Agumbe, Shimoga. |
|---------------------------|------|---------------------------------|

| | | |
|------------------------------------|------|--|
| <i>Schizachyrium paranipyeenum</i> | Rare | Castle rock, N.Kanara, Amboli, Ratnagiri district, Endemic to Konkan in Western Ghats. |
|------------------------------------|------|--|

| | | |
|-------------------------|------|---------------|
| <i>Bhidea burnsiana</i> | Rare | North Kanara. |
|-------------------------|------|---------------|

| | | |
|--------------------------|------|---|
| <i>Dimeria woodrowii</i> | Rare | - |
|--------------------------|------|---|

| | | |
|------------------------------|------|-----------------------------------|
| <i>Glyphochloa divergens</i> | Rare | Mercara, Coorg district. Endemic. |
|------------------------------|------|-----------------------------------|

| | | |
|------------------------------|------------------|---|
| <i>Hubbardia heptaneuron</i> | Presumed Extinct | Endemic to Gersoppa falls of the Sharavati river, North Kanara. |
|------------------------------|------------------|---|

| | | |
|------------------------|---|--|
| <i>Isachne lisboae</i> | - | Babubudan hills Endemic to Western Ghats in Maharashtra & Karnataka. |
|------------------------|---|--|

RANUNCULACEAE

| | | |
|----------------------------|---------------|---------------------------|
| <i>Thalictrum dalzelli</i> | Indeterminate | Babubudan hills & Mysore. |
|----------------------------|---------------|---------------------------|

RUBIACEAE

| | | |
|---------------------------|------|---|
| <i>Hedyotis cyanantha</i> | Rare | - |
|---------------------------|------|---|

| | | |
|-------------------------|---------------|---|
| <i>Neanotis carnosa</i> | Indeterminate | South Kanara coast (Malwan). 1600-1700 m. |
|-------------------------|---------------|---|

| | | |
|---------------------------|------------|------------------|
| <i>Neanotis prainiana</i> | Vulnerable | Endemic. 1500 m. |
|---------------------------|------------|------------------|

Ophiorrhiza brunonis Presumed Extinct Endemic to hills of South India.
930-2150 m.

Orchreinauclea missionis Vulnerable Yellapur North Kanara. 600-2000 m.

SAPOTACEAE

Isonandra stocksii Vulnerable Bababudan hills. 1250 m.

Madhuca insignis Possibly Extinct Endemic to Western Peninsular India.
Mangalore in South Kanara district.
300 m.

STERCULACEAE

Pterospermum reticulatum Rare Coimbatore & Tiruchirapali. Jog Falls (N.
Kanara district), Nadarai temple Grove,
(Quilon dist.), Trichur & Lower Kodayar,
Kanyakumari.

TILIACEAE

Erinocarpus nimmonii Rare Padgha-Erada range, Khandala.

ZINGIBERACEAE

Paracautleya bhatii Vulnerable South Kanara dist. Manipal
(Taluka-Udipi). Endemic. Palghat hills.

Source: *Red Data Book Plants of India (Nayar & Sastry 1987-88)*